


Hockey Scoreboards



ALGE

TIMING

ALGE-TIMING GmbH
 Rotkreuzstrasse 39
 A-6890 Lustenau
 Tel: +43-5577-85966
 Fax: +43-5577-85966-4
 office@alge-timing.com
 www.alge-timing.com


MULTISPORT SCOREBOARDS

ICE HOCKEY D-M4SH2H and D-M5SH2H



Ice Hockey Scoreboards for Indoor (Model D-M4SH2H) and Outdoor (Model D-M4SH2H-O):

- Scoreboard is made of 3 modules which are mounted onto a metal frame
- LEDs in three colors: red, green and yellow, white captions enhance scoreboard's readability
- Running time: 99:59 minutes up/down (25 cm green digits), last minute of match runs down in 1/10 seconds
- Day time (real clock) can be displayed on the "running time" section of the scoreboard
- Score: 0 to 99 each side (25 cm red digits)
- Period: 0 to 9 (18 cm yellow digit)
- 10 min: 0 to 19 each side (15 cm red digits)
- Time-out: 1 x 2 cm diameter LED cluster each side
- Penalties: Two running penalty timers per team: 0 - 9:59 minutes (15 cm red digits)
- Player numbers for penalty times: 0 to 99 (15 cm yellow digits)
- Horn
- Power supply: 110/220 VAC - 50/60 Hz
- Dimensions: 3800 x 1000 x 70 mm
- Weight: about 75 kg



Ice Hockey Scoreboards for Indoor (Model D-M5SH2H) and Outdoor (Model D-M5SH2H-O):

- Scoreboard consists of one piece
- LEDs in three colors: red, green and yellow, white captions enhance scoreboard's readability
- Running time: 99:59 minutes up/down (25 cm green digits), last minute of match runs down in 1/10 seconds
- Day time (real clock) can be displayed on the "running time" section of the scoreboard
- Score: 0 to 99 each side (25 cm red digits)
- Period: 0 to 9 (18 cm yellow digit)
- 10 min: 0 to 19 each side (15 cm red digits)
- Time-out: 1 x 2 cm diameter LED cluster each side
- Penalties: Two running penalty timers per team: 0 - 9:59 minutes (15 cm red digits)
- Horn
- Power supply: 110/220 VAC - 50/60 Hz
- Dimensions: 3000 x 1000 x 70 mm
- Weight: about 60 kg


Terminal:

D-CKN micro controller based command console with LCD data display, integrated keyboard and integrated beeper for confirmation of key contact. The terminal memorizes the data of the board in case of power failure (no batteries are necessary). The time of day can be shown on the scoreboard when it is not in use for a game.




MULTISPORT SCOREBOARDS

ICE HOCKEY D-L4SH2H and D-L5SH2H



Ice Hockey Scoreboard for Indoor (Model D-L4SH2H) and Outdoor (Model D-L4SH2H-O)

- Scoreboard is made of 3 modules which are mounted onto a metal frame
- LEDs in three colors: red, green and yellow, white captions enhance scoreboard's readability
- Running time: 99:59 minutes up/down (30 cm green digits), last minute of match runs down in 1/10 seconds
- Day time (real clock) can be displayed on the "running time" section of the scoreboard
- Score: 0 to 99 each side (30 cm red digits)
- Period: 0 to 9 (25 cm yellow digit)
- 10 min: 0 to 19 each side (18 cm red digits)
- Time-out: 1 x 4 cm diameter LED cluster each side
- Penalties: Two running penalty timers per team: 0 - 9:59 minutes (18 cm red digits)
- Player numbers: 0 to 99 (18 cm yellow digits)
- Horn
- Power supply: 110/220 VAC - 50/60 Hz
- Dimensions: 4400 x 1500 x 70 mm
- Weight: about 130 kg



Ice Hockey Scoreboards for Indoor (Model D-L5SH2H) and Outdoor (Model D-L5SH2H-O):

- Scoreboard is made of 3 modules which are mounted onto a metal frame
- LEDs in three colors: red, green and yellow, white captions enhance scoreboard's readability
- Running time: 99:59 minutes up/down (30 cm green digits), last minute of match runs down in 1/10 seconds
- Day time (real clock) can be displayed on the "running time" section of the scoreboard
- Score: 0 to 99 each side (30 cm red digits)
- Period: 0 to 9 (25 cm yellow digit)
- 10 min: 0 to 19 each side (18 cm red digits)
- Time-out: 1 x 4 cm diameter LED cluster each side
- Penalties: Two running penalty timers per team: 0 - 9:59 minutes (18 cm red digits)
- Horn
- Power supply: 110/220 VAC - 50/60 Hz
- Dimensions: 3800 x 1500 x 70 mm
- Weight: about 110 kg

Terminal:

D-CKN micro controller based command console with LCD data display, integrated keyboard and integrated beeper for confirmation of key contact. The terminal memorizes the data of the board in case of power failure (no batteries are necessary). The time of day can be shown on the scoreboard when it is not in use for a game.



MULTISPORT SCOREBOARDS

Ice Hockey - Options

ALGE-TIMING offers a wide range of options for the Ice Hockey Scoreboards


- Models for outdoor use with much brighter LEDs, so you can see the board also at direct sunlight
- Radio solution to control the scoreboard from the command console D-CKN flexible around the ice rink
- We offer each model as well with integrated text field to show the team names with an LED-text field
- Scoreboard cubes to mount the scoreboard in the centre of the ice-arena
- Scoreboard with attached matrix field to show information (e.g. team roster, scorer, etc.)
- Scoreboard with integrated videowall



NEW AGE ARENA



ALGE
TIMING



Hockey Goal Light D-HGL:

The goal lights are mounted behind each goal. A goal judge has a button to activate the red or green light to indicate if the goal should be counted or not.

A goal light is necessary for international events and also in some national leagues.

